



Who is Jorge Manuel B. S. Vicetto (jmbsvicetto)?

- Gentoo developer since 2006
- Worked on forums, KDE, DevRel, UserRel, MySQL
- Run a few elections and was in Council 2 years
- Joined the #gentoo-ten team for 10.0 DVD

- Releng team member
- Working on amd64 / x86 weekly builds
- Working on catalyst



Catalyst Workshop:

- Build ~amd64 stage3 (using scripts)
- Build custom installcd
- Build custom stage4



Build ~amd64 stage3:

- Build stage3

```
${BUILD_ROOT}/releng/scripts/update_auto_tree  
${BUILD_ROOT}/releng/tools/catalyst-auto -c  
/release/releng/tools/catalyst-auto-amd64.conf
```

This will build stage1, stage2 and stage3 in sequence and it will use the specs from the releng repo in `releases/weekly/specs/amd64/`



Build.env

```
BASE_DIR="${BUILD_ROOT}"
REPO_DIR="${BUILD_ROOT}/releng"
TMP_PATH="${BUILD_ROOT}/tmp/run"
BUILD_SRCDIR_BASE=${BASE_DIR}/buildroot/${ARCH}-dev/builds/
BUILD_DESTDIR_BASE=${BASE_DIR}/weekly/${ARCH}/

CATALYST_CONFIG=/etc/catalyst/release/${ARCH}-${TYPE}.conf

EMAIL_SUBJECT_PREPEND="[${ARCH}-${TYPE}]"
EMAIL_TO=<email>
EMAIL_FROM=catalyst@$(hostname -f)
```




amd64-auto.conf

```
distdir="/usr/portage/distfiles"  
portdir="/usr/portage"  
options="autoresume kerncache pkgcache seedcache snapcache"  
sharedir="/usr/lib64/catalyst/"  
storedir="${BUILD_ROOT}/buildroot/amd64-dev"  
snapshot_cache="${BUILD_ROOT}/tmp/snapshots"  
envscript="/etc/catalyst/local/host.env"  
hash_function="crc32"  
digests="sha512 whirlpool"  
contents="auto"
```




Host.env

```
export GENTOO_MIRRORS="ftp://rush.tisys.org/pub/gentoo/"  
export INPUT_DEVICES="evdev keyboard mouse vmmouse"  
export MAKEOPTS="-j9 -l4"  
export ACCEPT_KEYWORDS="~amd64"
```

The build will fail if we use a seed stage3 with stable keywords. We need to use the seed in the catalyst-workshop dir



Build custom installed:

- Build custom CD

```
catalyst -s 20121020
```

```
catalyst -f ${BUILD_ROOT}/workshop/installcd1.spec -c  
/etc/catalyst/release/amd64-auto.conf
```

```
catalyst -f ${BUILD_ROOT}/workshop/installcd2.spec -c  
/etc/catalyst/release/amd64-auto.conf
```

This will build a custom CD



Build custom stage4:

- Build stage4

```
catalyst -s 20121020 -c /etc/catalyst/release/amd64-auto.conf  
catalyst -f ${BUILD_ROOT}/workshop/stage4.spec -c  
/etc/catalyst/release/amd64-auto.conf
```

This will build a stage4 using the stage4.spec



Questions?



Credits:

Fernando Orucu (likewhoa) for the backgrounds

Thanks

Theo Chatzimichos for organizing the event

SuSE for fostering the Conference and the organization



Content Copyright 2012 Jorge Manuel B. S. Vicetto. Some rights reserved.

This work is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/3.0> or send a letter to Creative Commons, 559 Nathan Abbott Way, Stanford, California 94305, USA.

This presentation is not part of a Gentoo project and is not directed or managed by the Gentoo Foundation, Inc.